

43" Inch LED Real 4K Monitor

OX-LED43HVS-BMK



CCTV



OPERATION



HDMI



VGA



DVI



BNC



USB



SPEAKER

sales@i-oxion.com - support@i-oxion.com

www.i-oxion.com



Key Features

- HD: 3840*2160 resolution is higher than ordinary monitors.
- Automatically detect resolution of the input signal at the bottom left of screen when starting up, and show the clarity.
- Clarity: The picture is delicate and vivid, playing the true color.
- Bright: Improve image bright for better presentation.
- Using industrial screen, high brightness and high contrast ratio.
- Using high-precision standard regulated power supply, specially designed for industrial equipment, supports 24h x 365 of uninterrupted work.
- Using 10bit image chip processing technology, high-pixel progressive scanning, and presenting delicate and realistic picture quality.
- Support intelligent 3D noise reduction, remove afterimage function, dynamic brightness, contrast and color optimization technology.
- Apply the world's leading LCD driver solution to accurately restore the front-end signal, with a strong sense of reality.
- Liquid crystal has small size, low energy consumption, zero radiation, stable image, no effect on eyes.

Product Specification

Display	
Product model	OX-LED43HVS-BMK
Screen size	43 inch
Resolution	3840*2160
Display ratio	16:9
Brightness	450cd/m ² (Center point, typical value)
Contrast	3000:1
Viewing angle	160°/170°
Response time	8.5ms (Gray To Gray)
Color depth	16.7M
Functional Attributes	
Control method	panel/remote control
Interface	
Power input	110V/220V 50Hz/60Hz
Input port	HDMI/VGA/USB/DVI/BNC/232 serial port
Output port	232 serial port
Power consumption	
Power	97W
Structure	
Color	black
Material	professional fireproof iron back cover, plastic frame and base
Single dimension	968*561*88mm, not including foot height 50mm
Single package	1050*645*135mm
Installation	Base, VESA(200mm*200mm)
Net/gross weight	single monitor, 6.5kg/8.3kg
Package size	2pcs in a carton, 1070*674*286mm
Package weight	18.5kg

Operation environment	
Temperature	most suitable for 20°C
Humidity	10%-90%RH
Attachment list	
Power cord, manual, HDMI cable, base, self-tapping screws PA4*12MM (one bag)	

Product View



Product Dimension 43 inch Monitor

