

2 Megapixel IP Vehicle Indoor Camera




OX-IPC22VM-IN

2 Megapixel IP Vehicle Indoor Camera
with MIC



Model	OX-IPC22VM-IN	
Camera	Image Sensor	1/3" CMOS
	Horizontal Resolution	2.0MP
	Minimum Illumination	Color:0.01 Lux/F1.2 (0Lux With IR)
	S/N	≥ 52db (AGC OFF)
	Day and Night Switch	ICR IR Filter Automatically Switches
	Electronic Shutter	1/25S~1/10000S
	IR LEDS Quality	12Pcs LEDs
	IR distance	≥ 8 Meters
Lens	Lens Focal length	2.8mm
	Lens Mount	M12*P0.05
Video Processing	Video Compression Standard	H.264/H.265
	Video Resolution	Main Stream 2560*1440,2304*1296,1920x1080 Sub stream: 800*448,704*576,640*360,352*288
	Video Frame rate	2MP 30FPS
Audio	Audio	G711U
	Audio Input	Built- in MIC
Network Function	Network Protocol	Support :HTTP,TCP/IP ,IPV4,UPNP,RTSP,UDP,SMTP,NTP,DHCP,DNS,PROE, DDNS,FTP
	Access Protocol	Support ONVIF 2.0 Protocol
Interface	Communication Interface	RJ45
General Spec	Water proof Grade	IP 65
	Operating Temperature	-20°C ~ +70°C
	Power Supply	DC 12V ±10%
	Power Consumption	≥3.5W

Connection Diagram



Optional Cameras & Accessories



Side View
OX-IPC22V-OS



Rear/Front View
OX-IPC22V-OR



Aviation Cables
OX-MCB-5/10/15 M